

Applicant: Kevin L. Parsons  
Application No.: 10/616,441  
Filed: July 9, 2003  
Date: February 22, 2005

**IN THE CLAIMS:**

A complete listing of all claims pending, amended and cancelled is included as follows:

48. (currently amended)      A flashlight comprising:

a light emitting diode having a first and second leads extending therefrom;

a power source having a first side and a second side, the second side being opposite the first side;

a body adapted to receive the light emitting diode and the power source;

a switch operable to close a circuit including the light emitting diode and the power source;

and

the body having at least one side cover made of a translucent material; and

the flashlight being personally portable.

49. (previously presented)      The flashlight of claim 48, wherein the body has two side covers made of a translucent material.

50. (previously presented)      The flashlight of claim 48, wherein the body further comprises a frame made of a translucent material.

Applicant: Kevin L. Parsons  
Application No.: 10/616,441  
Filed: July 9, 2003  
Date: February 22, 2005

51. (previously presented) The flashlight of claim 48, wherein the at least one side cover is made of polycarbonate.

52. (previously presented) The flashlight of claim 48, wherein a decorative element is placed beneath the at least one translucent side cover such that elements of the decorative element can be seen through the at least one translucent side cover.

53. (previously presented) The flashlight of claim 52, wherein a decorative foil stamp can be placed beneath the at least one translucent side cover such that elements of the decorative foil stamp can be seen through the at least one translucent side covers.

54. (previously presented) The flashlight of claim 49, wherein a decorative element is placed beneath each translucent side cover such that elements of the decorative element can be seen through the translucent side covers.

55. (previously presented) The flashlight of claim 49, wherein a decorative foil stamp can be placed beneath the translucent side cover such that elements of the decorative foil stamp can be seen through the translucent side covers.

Applicant: Kevin L. Parsons  
Application No.: 10/616,441  
Filed: July 9, 2003  
Date: February 22, 2005

56. (previously presented) The flashlight of claim 53, wherein the foil stamp is a holographic foil stamp.

57. (previously presented) The flashlight of claim 55, wherein the foil stamp is a holographic foil stamp.

58. (previously presented) The flashlight of claim 49, wherein the side covers are dent resistant.

59. (previously presented) The flashlight of claim 48, wherein the frames and side covers are integrally formed together.

60. (previously presented) The flashlight of claim 58, wherein the integrally formed frames and side covers are made of polycarbonate.

61. (previously presented) The flashlight of claim 48, including a decorative medallion and wherein at least one of the side covers defines an opening into which the decorative medallion can be secured.

Applicant: Kevin L. Parsons  
Application No.: 10/616,441  
Filed: July 9, 2003  
Date: February 22, 2005

62. (currently amended)      A flashlight comprising:

a light emitting diode having a first and second leads extending therefrom;

a power source;

a body adapted to receive the light emitting diode and the power source;

a switch operable to close a circuit including the light emitting diode and the power source;

and

the body having two side covers and a frame made of a translucent polycarbonate; and

the flashlight being personally portable.

63. (previously presented)      The flashlight of claim 60, wherein the frames and covers are integrally formed together.

64. (previously presented)      The flashlight of claim 63, wherein the integrally formed frames and covers are made of polycarbonate.

65. (currently amended)      A flashlight comprising:

a light emitting diode having a first and second leads extending therefrom;

a power source having a first side and a second side, the second side being opposite the first side;

Applicant: Kevin L. Parsons  
Application No.: 10/616,441  
Filed: July 9, 2003  
Date: February 22, 2005

a body enclosing the leads of the light emitting diode and the power source;  
a switch operable to close a circuit including the light emitting diode and the power source;  
and  
the body having side covers each comprising a frame and a panel, each panel being formed of  
translucent polycarbonate material; and  
the flashlight being personally portable.

66. (previously presented) The flashlight of claim 65, wherein a decorative element is placed beneath at least one translucent panel such that elements of the decorative element can be seen through the translucent panel.

67. (previously presented) The flashlight of claim 65, wherein a decorative foil stamp can be placed beneath at least one translucent panel such that elements of the decorative foil stamp can be seen through the translucent panels.

68. (previously presented) The flashlight of claim 65, wherein the foil stamp is a holographic foil stamp.

Applicant: Kevin L. Parsons  
Application No.: 10/616,441  
Filed: July 9, 2003  
Date: February 22, 2005

69. (previously presented) The flashlight of claim 65, wherein the panels are dent resistant.

70. (previously presented) The flashlight of claim 65, wherein the frames and panels are integrally formed together.

71. (previously presented) The flashlight of claim 65, including a decorative medallion and wherein at least one of the panels defines an opening into which the decorative medallion can be secured.

72. (currently amended) A flashlight comprising:  
  
a light emitting diode having a first and second leads extending therefrom;  
  
a power source;  
  
a body enclosing the leads of the light emitting diode and the power source;  
  
a switch;  
  
the body having side covers each comprising a frame and a panel, each panel being formed of translucent material; and

Applicant: Kevin L. Parsons  
Application No.: 10/616,441  
Filed: July 9, 2003  
Date: February 22, 2005

a decorative element placed beneath at least one translucent panel such that elements of the decorative element can be seen through the translucent panel; and  
the flashlight being personally portable.

73. (previously presented) The flashlight of claim 72, wherein a decorative foil stamp can be placed beneath at least one translucent panel such that elements of the decorative foil stamp can be seen through at least one translucent panel.

74. (previously presented) The flashlight of claim 72, wherein the panels are dent resistant.

75. (previously presented) The flashlight of claim 72, wherein the frames and panels are integrally formed together.

76. (previously presented) The flashlight of claim 72, wherein at least one panel is made of polycarbonate plastic.